

Lx Range

The Lx Range provide excellent and smart cable management with additional left + right vertical cable management channels



The Lx Range (800x800)

The Lx Range of cabinets match all features that have been defined in the previous pages.

Moreover, the Lx Range series provide more comfort for cable management and maximum cable entry.

Effective, functional and smart cable management system simplifies the installer's needs. It enables maximum utilization of floor space, space saving mix of active and passive equipment.

It is designed to offer unrivalled accessibility for high density cabling and fibre installations. Standard delivery configuration is 2 opening front doors.

Standard delivery configuration is 2 opening rear doors providing space saving in room.

As an option, the front door could be single opening, reinforced with a metal frame.

It is compatible with all accessories.

Load Carrying capacity: 600kg.

STANDARD DIMENSIONS

Width : 780mm

Depth : 780mm

In addition to standard cabinets, there is 2ea. cable entry with brush on top and 2ea. cable entry with brush on bottom.

STANDARDS

- ISO9001:2000
- 19" mounting to IEC 297-1
- Overall cabinet dimensions to IEC 297-2

COMPLIANCES

UL AND cUL

Lx Range

The Lx Range (800x800)

SPECIAL ACCESSORIES for the Lx Range

TELESCOPIC CABLE TRUNKING

It is designed to protect and hide cable bundles coming from the ceiling. Since the height between ceiling and cabinet isn't known, it is manufactured as telescopic to fit all dimensions. There is a cover for it. When it is closed, it looks really matter and provide a professional look.

See accessories for product codes and definitions.

VERTICAL CABLE MANAGEMENT PANEL (left + right)

It is designed to manage large patch cable bundle in front of the cabinet. It is installed through the height of the cabinet, and each U dimension, there is a hole to pass horizontal patch cables on vertical axis.

There is spring hinged cover in front of the vertical cable management panel integral with slam latch.

The cover protects and hides all cable bundles.

Besides that, it reduces labour costs by 20% and saves time.

See accessories for product codes and definitions.

VERTICAL CABLE MANAGEMENT TRUNKING

It is designed to carry large cable bundles through the vertical axis of the cabinet.

From top to bottom, it is continuous with the height of cabinet. Bottom edge of the trunking fit into the cabinet bottom cable entry, top edge of the trunking fit into the cabinet top cable entry. It has holes for cable access for horizontal axis.

It is punched in a shape to tie the cables.


Since it has a sliding cover on the trunking, cable bundles are hidden and protected. When it is closed, its looks really matter and provide a professional look.

See accessories for product codes and definitions.



A Smart Cable Management System
Provides A Professional Look & Solution


Lx Range




for plinth please see accessories

**Unless noted otherwise, all 800mm x 800mm cabinets are delivered
“Double door opening”**


Lx Range




Explode View



Front View



Side View



Top View

width=800mm. depth=800mm

U (44.45)	h inside height (mm)	H outside height (mm)	Weight(kg)
32	1425	1653	105
36	1603	1831	115
39	1737	1964	124
42	1870	2098	131
44	1969	2183	140